PRINTER RUSH •

(PTO ASSISTANCE)

| Application: | 09/815 | 447 Examiner : | Bones | GAU: | 2165 |
|--------------|------------|-------------------|----------------------------------------------------------|-----------------------|----------------|
| From: | cwc | Location: | IDC FMF FDC | Date: | |
| ATTN: Chi | ied Drafts | | 06093959 | Week Date: | <u>4-11-05</u> |
| | | 3-21-6/ 47 and | MISCELL Continuing Foreign Prical Document I Fees Other | Data ority Legibility | s i b A e |
| d | ve to | im proper | shading. | henk y | |
| [XRUSH] RES | | | Drawius (b) | INIT | IALS: |

document coded as XRUSH.

REV 10/04



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATIO NUMBER 09/815447

FILING/RECEIPT DATE 03/21/2001

FIRST NAMES APPLICANT

MOORE, REAGAN W.

ATTORNEY DOCKET NUMBER 02737.0004.NPUS01

Examiner VEILLARD, JACQUES
Art Unit 2165 Paper Number

HOWREY SIMON ARNOLD & WHITE, LLP - OC 301 RAVENSWOOD AVENUE BOX 34 MENLO PARK CA 94025

Date Mailed: 08/05/2005

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on 03/21/2001, are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO:

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Tyrone Johnson
Office of Patent Publication,
Publishing Division
703-305-0333 #130

09/8/5447

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

NOTICE OF/DRAFTSPERSON'S PATENT DRAWING REVIEW

| 1. DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: Black ink or Color (3 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Penell and non black ink not permitted. Fig(s) Penell and non black ink not permitted. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong white, and durable. Fi | drawings are required. | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------|
| Color drawings are not acceptable until petition is granted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) 2. Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) All drawing sheets not acceptable size. Fig(s) All drawing sheets not an acceptable size. Fig(s) All drawing sheets not an acceptable size. Fig(s) Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Reminder R) Reminder R) Reminder R) Reminder R) Bottom (B) 6. Views. 37 CFR 1.84(g). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Reminder R) Bottom (B) 6. Views. 37 CFR 1.84(g). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters must be at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional R) Sectional R) Sectional Right R) Sectional Right R) Sectional Right R) Sea R A R CERT R R R R R R R R R R R R R R R R R R | | |
| Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations overwritings. interlineations, folds, copy machine marks not acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (BI 1/2 II inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(p) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Top (T) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENTS: COMMENTS: A that the top becomes the right side, except for graphs. Fig(s) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LiNES, NUMBERS, & ETTERS, 37 GFR 1.84(n) Vious fig(s) Vi | | |
| granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Parasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Passures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Passures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Passures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Passures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Passure flexible, strong, white, and durable. Fig(s) Passures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Passures flexible, strong, white, and durable. Fig(s) Passures flexible, strong, white, and without crowding when drawing is reduced in stite to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LiNES, NUMBERS, & ETTERS, 37 CFR 1.84(m) Plantal flexible, strong, with unable flexible, strong with unable flexible flexible flexible, standard plantal flexible flexib | | |
| Pencil and non black ink not permitted. Fig(s) 2. PHOTOGRA PHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(e) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x II inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 3.7 cm Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Sectional desparation may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Top (T) Fig(s) Top (T) Left (L) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 13. LEAD LINES. 37 CFR 1.84(p) Scational designation should be noted with Arabic or Roman numbers. Fig(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s) 16. DESIGN DRAWINGS | _ | |
| 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right(R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1.4, Fig IB and Fig. 1.C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 1. CHARACTER OF LINES, NUMBERS, & ETTERS, 37 CFR 1.84(l) Usines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 1.5 HADING. 37 CFR 1.84(p) 1.5 HARACTERS. 37 CFR 1.84(p) 1.5 HARACTE | | |
| One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) 37 CFR 1.84(f). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) L1. SHADING. 37 CFR 1.84(m) 3 J 3 J 3 J J 3 J J 3 J J 3 J J 3 J J 3 J J J 3 J J J 3 J J J J 3 J J J J J J J J J J J J J J J J J J J J | | |
| Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, and black (poor line quality). Fig(s) Paper not flexible, and black (poor line quality). Fig(s) Paper not flexible, and black (poor line quality). Fig(s) Paper not flexible, and black (poor line quality). Fig(s) Paper not flexible, and black (poor line quality). Fig(s) Paper not flexible and flexible and paper not flexible and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Paper not fle | | |
| Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig IB and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) T. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENTS: Photographs must met paper size requirements of size for part in the same fleet, clean durable, and black (poor line quality). Fig(s) 11. SHADING. 37 CFR 1.84(m) 12. NUMBERS, & Letters not uninformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 11. SHADING. 37 CFR 1.84(m) 13 1 3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 1/3 | | |
| 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Prasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 or Left 2.5 or Right 1.5 or Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, likely be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENTS: 10. CHARACTER OF LINES, 37 GFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) 11. SHADING. 37 CFR 1.84(n) 12. NUMBERS, LETTERS. 37 GFR 1.84(n) 13. LEAD LINES. 37 CFR 1.84(p) 14. NUMBERS, LETTERS. 37 GFR 1.84(p) 15. NUMBERS, LETTERS. 37 GFR 1.84(p) 16. Views. and reference or a fregence or an ereference characters must be talt least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) 13. LEAD LINES. 37 CFR 1.84(p)(2) Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in | | |
| Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENITS. | | |
| 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENITS. | 37 CFR 1.84(f). Fig(s) | |
| Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21. 0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENITS. Paper not flexible, and black (poor line quality). Fig(s) 11. SHADING. 37 CFR 1.84(p) 31. SHADING. 37 CFR 1.84(p) 32. Solid black areas pale. Fig(s) 42. Solid black areas pale. Fig(s) 43. Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(| | |
| Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Reight (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENTS: Fig(s) 11. SHADING. 37 CFR 1.84(m) 31 7 31 3 1 1 3 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3. TYPE OF PAPER. 37 CFR 1.84(e) | Lines, numbers & letters not uniformly thick and |
| Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Solid black shading not permitted. Fig(s) 47,49 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Figure legends are pobr. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) I. English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Fig(s | Paper not flexible, strong, white, and durable. | |
| Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Solid black shading not permitted. Fig(s) 47,44 12. NUMBERS, LETTERS, & REFERENCE HARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Figure legends are pobr. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Solid black srading in the permitted. Fig(s) 47,44 12. NUMBERS, LETTERS, & REFERENCE HARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers. Setters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Solid black srades shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | Fig(s) | quality). Fig(s) $11.344 - 310.314.310.$ |
| folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENTS: A MARGINS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) A SIZE OF PAPER. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) Is. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Solid black strace shading not permitted. Except when used to represent the color black as well as color contrast. Fig(s) | Erasures, alterations, overwritings. interlineations, | 11. SHADING. 37 CFR 1.84(m) 3 17 3 15 31 11 13 |
| A SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Top (T) Left (L) Right (R) Bottom (B) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Stanged to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Top CTONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) The CH Characters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Fig(s) Wumbers, letters and reference characters must be the least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Wumbers, letters and reference characters must be the least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) The Characters and reference characters must be the least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) The Characters and reference characters must be the least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) The Characters and reference characters must be the least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) The Characters and reference characters must be the least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) The Characters and reference characters must be the least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) The Characters and reference characters must be the least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) The Characters and reference characters must be the least 32 cm (1/8 inch) in height. 37 | folds, copy machine marks not accepted. | Solid black areas pale. Fig(s) |
| Sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) SMARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left (2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS: All drawing sheets not the same size. Sheet(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters must over the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters mot oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the | | |
| 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Reft (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) DMMENTS: All drawing sheets not the same size. Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the vi | 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable | |
| 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) DESIGN DRAWINGS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | sizes: | |
| 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENTS: All drawing sheets not the same size. Sheets not number d consecutively, and in Arabic numbers beginning with number 1. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | 21.0 cm by 29.7 cm (DIN size A4) or | Numbers and reference characters not plain and |
| All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | legible. Fig(s) 11,3/4 - 3/5, 33344/4 |
| the same direction as the view. 37 CFR 1.84(p)(1) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) | | Figure legends are poor. Fig(s) |
| Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) DESIGN DRAWINGS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | Sheet(s) | Numbers and reference characters not oriented in |
| Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) DESCRIPTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) DESCRIPTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | Drawings sheets not an acceptable size. Fig(s) | the same direction as the view. 37 CFR 1.84(p)(1) |
| Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) DIMMENTS: Arabic Of MENTS: DIMMENTS: English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(q) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | Fig(s) |
| Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) OMMENTS: | | English alphabet not used. 37 CFR 1.84(p)(2) |
| Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) | | Fig(s) |
| Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with number 1. Sect(s) Sectional designation should be noted with number 1. Sect(s) Sectional de | | Numbers, letters and reference characters must be |
| 1. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | at least 32 cm (1/8 inch) in height. 37 CFR |
| REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) OMMENTS: A color of the Drawings, in Fig. 1 is Lead LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) Sheets OF DRAWINGS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | 1.84(p)(3). Fig(s) 49 |
| Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | |
| changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | Lead lines missing. Fig(s) |
| specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) OMMENTS: | | 14. NUMBERING OF SHEETS OF DRAWINGS. |
| must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | |
| Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) OMMENTS: 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | Sheets not numbered consecutively, and in Arabic |
| Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) OMMENTS: 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | |
| 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) OMMENTS: | | 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) |
| Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | |
| Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | |
| Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | |
| Fig(s) Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | Arabic of Koman numbers. Fig(s) | |
| Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) | | |
| when used to represent the color black as well as color contrast. Fig(s) | | |
| color contrast. Fig(s) | | |
| OMMENTS: 1 2274 | 1 | |
| - Duscripture must be to the second | OMMENTS: | N. J. 11-12 33,34 |
| | - Wherehold was | |
| | | |